

TABLE OF CONTENTS

| | |
|--|-----|
| FOREWORD BY THE EDITORS-IN-CHIEF | ii |
| EDITORIAL BOARD | iii |
| REVIEWERS | iv |
| TABLE OF CONTENTS | v |

Theme 1: Automotive

| | |
|--|----|
| 01. The effect of temperatures and extraction time on bio oil extracted from banana peel wastes. <i>H.A. Hamid, N.A.B. Masripan, M.F.B. Abdollah, R. Hasan, G. Omar</i> | 1 |
| 02. Field test of regenerative suspension system on an actual vehicle. <i>J.F. Jamil, M.A. Abdullah, A.E. Mohan</i> | 3 |
| 03. The improvement and laboratory testing of regenerative suspension system. <i>A.E. Mohan, M.A. Abdullah, J.F. Jamil</i> | 5 |
| 04. Performance of compressed natural gas (CNG) engine with pre chamber. <i>M.S. Ali, M.T. Musthafah, A.M. Mohd Shafei, A.M.T. Khairil, N.F.M. Nor, R.A. Bakar</i> | 7 |
| 05. Validation of automotive passive engine mount system. <i>M. Hafiz Harun, M.Z. Sariman, A.K. Mat Yamin, R. Yunos, M.A. Azhari, F. Ahmad</i> | 9 |
| 06. Optimization of friction coefficient of kenaf/epoxy composites as an alternative friction material using Taguchi method. <i>A. Mustafa, M.F.B. Abdollah, H. Amiruddin, F.F. Shuhimi, N.A.M. Tahir, N. Muhammad, S.E. Mat Kamal, N. Ismail</i> | 11 |
| 07. Application of waste chicken fat in base catalyzed (potassium hydroxide) biodiesel production. <i>N.H. Razak, M.I.A.K.M. Safari, H.A. Merican, F. Ghafar, N.I. Zulkafli</i> | 13 |
| 08. Brake insulator analysis in reducing internal brake squeal noise. <i>M.A. Abdullah, A.R. Efariani</i> | 15 |
| 09. Influence of tire stiffness and sprung mass on ride quality. <i>A. Md Saad, M.A. Salim, M.H. Harun, M.R. Mansor, M.Z. Akop, M.T. Musthafah</i> | 17 |
| 10. Driving behaviour analysis of young vehicle drivers. <i>M.A. Abdullah, M.A.H. Abdul Rahim</i> | 19 |
| 11. Effect of hydrogen injection on diesel engine performance intake: Preliminary result. <i>M.N.M. Norani, B.T. Tee, M.Z. Zulfattah, M.N.A. Saadun, A. Hussain, M.N. Mansor</i> | 21 |
| 12. Influence of transient response on suspension damping. <i>A. Md Saad, M.A. Salim, M.H. Harun, M.R. Mansor, M.Z. Akop, M.T. Musthafah</i> | 23 |

| | | |
|-----|---|----|
| 13. | Experimental Investigation of engine performance and emission for biodiesel at various storage conditions. <i>N. Tamaldin, A.S. Mohamad, Y. Humairak , M.H.M. Husin, M.F.B. Abdollah</i> | 25 |
| 14. | Effect of storage duration on the fuel properties of different biodiesel blends. <i>N. Tamaldin, F. Harun, Y. Humairak, M.H.M. Husin, M.F.B. Abdollah</i> | 27 |
| 15. | The effect of increasing current to temperature of alternator. <i>R.K. Mazlan, R.M. Dan, M.Z. Zulfattah, A.H.A. Hamid</i> | 29 |
| 16. | Experimental study of noise level for car engines. <i>M.R. Rizainal, M.A. Salim, A. Md Saad, M.R. Mansor, M.Z. Akop, M.T. Musthafah, I.R.A. Rosszainily</i> | 31 |

Theme 2: Computer Modelling and Simulation

| | | |
|-----|--|----|
| 17. | Influence of halo and source/drain implant variations on the drive current in p-channel vertical double gate MOSFET. <i>K.E. Kaharudin, F. Salehuddin, A.S.M. Zain, M.N.I A. Aziz</i> | 33 |
| 18. | Comparison of flow analysis between flat and ring plastic parts using moldflow software. <i>Mohd Amran Md Ali, Mohd Faizal Khalik, Mariam Md Ghazaly, Zulkeflee Abdullah</i> | 35 |
| 19. | Study of thinning effect from deep drawing process on crash analysis. <i>R.M. Amman, M.F. Halim, D. Sivakumar, I. Abu-Shah, M.S. Sulaiman, H. Samekto</i> | 37 |
| 20. | Design, simulation and analysis of disc rotor using anycasting software. <i>N.F.B.W. Anuar, N. Jani, M.R.M. Kamal</i> | 39 |
| 21. | Linear and nonlinear dynamic model of a gantry crane system. <i>H.I. Jaafar, Z. Mohamed, M.A. Ahmad, R. Ghazali, A.M. Kassim</i> | 41 |
| 22. | Finite Element Modelling of microscale and macroscale on deformation of composite material. <i>Ab Ghani Ahmad Fuad, Reduan Mat Dan, M.I. Shariff, Tan Joon Tak</i> | 43 |
| 23. | Performance analysis of neural network models for sustainable manufacturing practices (SMP) and economy performances. <i>N.H. Abu, A.S.M. Jaya, M.R. Muhamad</i> | 46 |

Theme 3: Design and Optimization

| | | |
|-----|--|----|
| 24. | Multiobjective optimization of injection moulding process parameters using Grey Fuzzy method. <i>Mohd Amran Md Ali, Noorfa Idayu Mohd Ali, Mariam Md Ghazaly, Zulkeflee Abdullah, Suhaila Yacob</i> | 48 |
| 25. | Force optimization of the permanent magnet switching flux (PMSF) and switching reluctance (SR) actuators using Finite Element Analysis. <i>I. Yusri, M.M. Ghazaly, E.A. Alandoli, M.F. Rahmat, Z. Abdullah, M.A. Md Ali, R. Ranom</i> | 50 |

| | | | |
|-----|---|--|----|
| 26. | Force optimizations of a tubular linear reluctance actuator (TLRA) and tubular linear permanent magnet actuator with Halbach array (TLPMA). | <i>A.H. Jamaludin, M.M. Ghazaly, T.A. Yahya, A.C. Amran, Z. Abdullah, M.A.M. Ali, N.M. Ali</i> | 52 |
| 27. | Development of a RFID inter-office document's delivery system via mobile robot. | <i>M.M. Ghazaly, K.Y. Soo, Z. Abdullah, M.R. Yaacob, C.C. Ho, C.Y. Ng</i> | 54 |
| 28. | Optimization using L9 Taguchi method toward threshold voltage of 18nm gate length SOI p-channel MOSFET. | <i>M.N.I.A. Aziz, F. Salehuddin, A.S.M. Zain, K.E. Kaharuddin, A.R. Hanim, H. Hazura, S.K. Idris</i> | 56 |
| 29. | Structural design and analysis of autonomous guided vehicle (AGV) for parts supply. | <i>Mohd Suffian Ab Razak, Khairul Hazwan Mohd Rasit, Nur Rashid Mat Nuri, M.Z.A Rashid</i> | 58 |
| 30. | Design strategy for concept design of hybrid bio-composite automotive anti-roll bar using TRIZ. | <i>M.T. Mastura, S.M. Sapuan, M.R. Mansor, A.A. Nuraini</i> | 60 |
| 31. | Development of a rotary axis mechanism for wire EDM turning (WEDT) | <i>M. Akmal, R. Izamshah, M.S. Kasim, M. Hadzley, M. Amran, A. Ramli</i> | 62 |
| 32. | Optimal PID sliding surface for sliding mode control based on particle swarm optimization algorithm for an electro-hydraulic actuator system. | <i>C.C. Soon, R. Ghazali, H.I. Jaafar, S.Y.S Hussien</i> | 64 |
| 33. | Experimental analysis of 3D gantry crane system via optimal PID and PD controller by PSO. | <i>S.Y.S. Hussien, R. Ghazali, H.I. Jaafar, C.C. Soon</i> | 66 |
| 34. | Strength and porosity of additively manufactured PLA using a low cost 3D printing. | <i>H.A. Habeeb, M.R. Alkahari, F.R. Ramli, R. Hasan, S. Maidin</i> | 69 |
| 35. | Optimization of warping deformation in open source 3d printer using response surface method. | <i>M.A. Nazan, F.R. Ramli, M.R. Alkahari, M.N. Sudin, M.A. Abdullah</i> | 71 |
| 36. | Dimensional inspection of 3D laser scanner, coordinate measuring machine and image processing. | <i>M.K. Sued, M.Z. Mohd Noh, M.F. Dimin</i> | 73 |

Theme 4: Energy Conversion and Management

| | | | |
|-----|--|---|----|
| 37. | Studying air flow distribution in a tray dryer through CFD simulation. | <i>S. Misha, S. Mat, M.H. Ruslan, E. Salleh, K. Sopian</i> | 75 |
| 38. | Evaluation of impact based energy harvesting using a piezoelectric ceramic disc. | <i>Ali Mohammed abdal-Kadhim, Kok Swee Leong</i> | 77 |
| 39. | Performance analysis of portable power generator by using TEG module. | <i>Siti Halma Johari, Mohd Faiz Che Pa, Khalil Azha Mohd Annuar, Suziana Ahmad, Madiha Zahari</i> | 79 |

| | | |
|-----|---|----|
| 40. | Peltier and seebeck efficacy of hot and cold air system for portable O-REF (oven & refrigerator) application. <i>M.H. Harun, K.A.M. Annuar, M.F.M.A. Halim, M.H.C. Hasan, M.S.M. Aras, M.F. Yaakub</i> | 81 |
| 41. | Potential co-processing of coconut shell and sugarcane residue as a solid biofuel. <i>Nona Merry M. Mitan, Mohd Nur Shafiq Ahmad Razimi</i> | 83 |
| 42. | Application of limestone as based catalyst in transesterification of rubber seed oil in biodiesel production. <i>M.M.Zamberi, I.A.K.M. Safari, N.H. Razak, F.N. Ani, M.F.B. Abdollah</i> | 85 |
| 43. | Energy audit and analysis in UTeM: Library. <i>A.N. Nasaruddin, M.Z. Akop, M.A. Salim, M.R. Mansor, M.T. Musthafah, M. Adrinata</i> | 87 |
| 44. | Separate analysis of wind speed and direction for Mersing, Malaysia. <i>N. Sanusi, A. Zaharim, S. Mat</i> | 90 |
| 45. | Study of breakdown behaviour of ester oil with suspended cellulose particles under direct current voltage. <i>M.H.S. Zainoddin, H. Zainuddin, A. Aman</i> | 92 |
| 46. | Optimized guiding vane for propeller turbine. <i>J. Ab Razak, M. Musa, M.F. Abdul Razak</i> | 94 |
| 47. | A study on the potential of Peltier in generating electricity using heat loss at engine system. <i>N.M.H. Shalsam, M.H. Harun, M.S. Yahaya, K.A.M. Annuar, M.F.M.A. Halim, M.H.C. Hasan, M.F. Yaakub</i> | 96 |

Theme 5: Structure and Materials

| | | |
|-----|---|-----|
| 48. | Flexible piezoelectric micro-power generator based on P(VDF-TrFE). <i>Khoon Keat Chow, Swee Leong Kok, Kok-Tee Lau</i> | 98 |
| 49. | Effect of samarium concentration on the structural and electrical properties of (K, Na) NbO ₃ thin films. <i>Nurul Azuwa Azmi, Umar Al-Amani Azlan, Mohd Asyadi 'Azam Mohd Abid, Mohd Warikh Abd Rashid, Maziatu Akmal Mohd Hatta</i> | 100 |
| 50. | Failure analysis of two serial holes bolted joint hybrid composite. <i>D. Sivakumar, N.S. Salmi, M.Z. Selamat, M.A. Daud, C.F. Tan</i> | 102 |
| 51. | Failure analysis on hybrid fiber reinforced plastics for bolted joint under geometric parameters effect. <i>D. Sivakumar, R.M. Chew, M.Z. Selamat, M.A. Daud, C.F. Tan</i> | 104 |
| 52. | Thermoplastic matrix selection based on entropy method for importance weight of criteria. <i>N.M. Ishak, D. Sivakumar, M.R. Mansor</i> | 106 |
| 53. | Surface durability of oil palm fiber/epoxy composite at various temperatures. <i>F.F. Shuhimi, M.F.B. Abdollah, M.A. Kalam, H.H. Masjuki, A. Mustafa, H. Amiruddin</i> | 108 |

| | | |
|-----|--|-----|
| 54. | Estimation of corrugated cardboard strength using tensile test. <i>N.B. Ab Wahab, Ainul Arafah, Y. Fukuzawa, S. Nagasawa</i> | 110 |
| 55. | Influence of size particles of SLS glass on properties of sintered SBE reinforced glass waste composite. <i>Z. Shamsudin, N. Salleh, Z. Mustafa, M.A.A. Bakar, R. Hasan</i> | 112 |
| 56. | Comparative study of polypropylene composites reinforced with pineapple leaf fiber from Jospapine and Sarawak cultivar. <i>M.Z. Selamat, A.N. Kasim, M.A.M. Daud, M.Y. Yaakob, A. Putra, D. Sivakumar</i> | 114 |
| 57. | Failure analysis on domestic pipeline. <i>N. Adzme, N.H. Razak, N.S. Muhammad</i> | 117 |
| 58. | Variations in diameter of struts for micro-lattice structure manufactured using selective laser melting. <i>R. Hasan, R.A.W. Mines</i> | 119 |
| 59. | Tensile performance of palm oil fiber metal laminate. <i>F. Hussain, D. Sivakumar, M.A. Daud, M.Z. Selamat</i> | 121 |
| 60. | The effect of fiber length on the mechanical properties of pineapple leaf (PALF) fiber reinforced PLA biocomposites. <i>S.H. Sheikh Md. Fadzullah, Z. Mustafa, S.N.R. Ramli</i> | 123 |
| 61. | Kinetic study of boron diffusion in powder-pack boronizing. <i>N.H. Omar, R. Hasan, N.A.B. Masripan</i> | 125 |
| 62. | Characterization of nanocarbon particles using nitrogen adsorption analysis: Isotherm, pore type, pore size and BET surface area. <i>S. Zainal Abidin, I.S. Mohamad, A.Y. Bani Hashim, N. Abdullah, A. Abdullah</i> | 127 |
| 63. | Fabrication of polymer lattice structure using additive manufacturing for lightweight material. <i>R. Hasan, M.K. Baharudin, M.M. Nasarud'din, M.R. Alkahari</i> | 129 |
| 64. | Mechanical performance of pineapple leaf fiber reinforced poly lactic acid (PLA) biocomposites. <i>S.N.R. Ramli, S.H.S.M. Fadzullah, Z. Mustafa</i> | 131 |
| 65. | The effect of coconut fiber towards impact characteristics. <i>A.R.B.A. Fizal, M.A. Shamsudin, M.I.H.C. Abdullah</i> | 133 |
| 66. | Effect of sintering on the physical properties of porous β -TCP scaffolds. <i>N.F. Ishak, Z. Mustafa, R. Othman, S.H. Sheikh Md. Fadzullah, A.R. Mahamad Sahab</i> | 135 |
| 67. | Optimization of compression moulding parameters for multi filler polymer composite using Taguchi method. <i>N.A. Jamil, M.Z. Selamat, R. Hasan, J. Sahari, M.A.M. Daud, M.M. Tahir</i> | 137 |
| 68. | Experimental investigation on empty aluminium honeycomb under quasi-static lateral compression. <i>A.J. Chuli, M.R. Said</i> | 139 |

| | | |
|-----|---|-----|
| 69. | Study of wheel rim impact test using finite element analysis. <i>H.B. Zainuddin, M.B. Ali</i> | 141 |
| 70. | Characterization of grayscale of the MRI Images for articular cartilage. <i>W.S. Yew, M.J. Abd. Latif, N.H. Mohd.Saad</i> | 143 |
| 71. | Determination of dimple distribution for laser texturing process on cast iron surface. <i>N.A.M. Lazim, R. Hasan, S.E.M. Kamal</i> | 145 |
| 72. | The effect of PCB surface roughness on the reliability of the SAC405 lead free solder. <i>R.M. Dan, A.H.A. Hamid, J. McLaren, N.I. Zulkafli, R.K. Mazlan</i> | 147 |
| 73. | Corrosion analysis of the cold work 316L stainless steel in simulated body fluids. <i>SW.M.F.W. Mohamad, M.Z. Selamat, B. Bundjali, M. Musa, H.M. Dom</i> | 149 |
| 74. | Effect of agitation mechanism on the anodization process of titanium dioxide nanotube arrays. <i>K.A. Khairul, S. Ismail</i> | 151 |
| 75. | Experimental investigation of buckling behavior of cracked cylindrical shells subjected to axial compression. <i>O. Ifayefunmi, Norehan Kasiman, Hazrin Ibrahim Khan</i> | 153 |
| 76. | The influence of boundary condition on the deformed shape of axially compressed cones. <i>O. Ifayefunmi, K.L. Chang</i> | 155 |
| 77. | Effect of polypropylene type on G/CB/CNTs/PP composites properties as bipolar plate for PEM fuel cell. <i>A. Bairan, M.Z. Selamat, S.N. Sahadan, S.D. Malingam, N. Mohamad</i> | 157 |
| 78. | Effect of molding temperature on properties of graphite/stannum/polypropylene composites. <i>F. Masron, M.Z. Selamat, M.M. Tahir, M.A.M. Daud, J. Sahari</i> | 159 |
| 79. | Analysis of impact duration from Charpy impact signal. <i>N.B. Muhammad Said, M.B. Ali</i> | 161 |
| 80. | Cure characteristics and tensile properties of natural rubber vulcanizates modified by tapioca starch. <i>M. Mazliah, N. Mohamad, A.R. Jeefferie, A.M. Hairul Effendy</i> | 163 |
| 81. | A preliminary study of greyscale intensity and deposited electrospun fibres using image analysis technique. <i>F.C. Long, A.H. Nurfaizey, M.A.M. Daud</i> | 165 |

Theme 6: Thermal and Fluids

| | | |
|-----|--|-----|
| 82. | Effect of load on friction and wear of banana peel as an additive. <i>J. Basiron, N.A.B. Masripan, M.F.B. Abdollah, A.H. Husna</i> | 167 |
| 83. | Friction and wear characteristic of different natural oil-based lubricants with carbon nanotubes as additive. <i>K.F. Yong, B.T. Tee, M.F.B. Abdollah, I.S. Mohamad, C.T. Chong</i> | 169 |

| | | |
|-----|--|-----|
| 84. | Effect of duration time of homogenization and sonication on stability of MWCNT-OH in ethylene glycol and deionized water. <i>A. Abdullah, I.S. Mohamad, A.Y. Bani Hashim, N. Abdullah, S. Zainal Abidin</i> | 171 |
| 85. | Thermal conductivity enhancement of functionalized multiwalled carbon nanotube and carbon nanofiber based nano-coolant. <i>N.S.N. Abdul Manap, S.S. Mohd Yunus, I.S. Mohamad, M.H. Mohd Husin</i> | 173 |
| 86. | Comparison for humidity absorption using various silica gel in experimental chamber. <i>A.A.M. Damanhuri, Q.F. Zahmani, A. Ibrahim, S.N. Mokhtar, S.N. Sulaiman, M.R.A. Majid</i> | 175 |
| 87. | Preparation and characterization of form-stabilized paraffin/polycaprolactone (PCL) composites as phase change materials. <i>M.S. Aludin, S. Saidatul Akmal, Y. Rosiyah</i> | 177 |
| 88. | Investigation of surface breakdown on various solid insulation immersed in ester and mineral oils under ac stress. <i>H. Zainuddin, S.N. Norhan, N.A. Othman</i> | 179 |
| 89. | Turbulence kinetic energy analysis of a single cylinder engine. <i>A.M.T. Khairil, M.T. Musthafah, M.A. Salim, M.R. Mansor, M.Z. Akop, A.M. Saad, A.M. Mohd Shafei</i> | 181 |
| 90. | Friction curve analysis of steel lubricated with jatropha oil. <i>A.M.H.S. Lubis, M.B. Sudin, B. Ariwahjoedi</i> | 183 |
| 91. | Simulation on comparison of pressure medium in hydraulic hybrid system. <i>Saiful Akmal Sabaruddin, Ahmad Anas Yusof, Mohd Noor Asril Saadun</i> | 185 |

Theme 7: Vibration and Control

| | | |
|-----|---|-----|
| 92. | An experimental study on relation of nonlinearity and transduction coefficient of an electromagnetic energy harvester. <i>P.S. Low, R. Ramlan, N.S. Muhammad</i> | 188 |
| 93. | Simulation study of high-rise structure model on earthquake movement. <i>M.N. Mustaffa Kamal, M.A. Salim, A. Md Saad, M.R. Mansor, M.Z. Akop, M.T. Musthafah, I.R.A. Rosszainily</i> | 190 |
| 94. | Enhancement on acoustical performance of reed 'Imperata Cylindrica'. <i>F.A. Khair, A. Putra, M.J.M. Nor, M.Z. Selamat</i> | 192 |
| 95. | A simulation study on the modal analysis of perforated plates. <i>A.Y. Ismail, A. Ahmad</i> | 194 |
| 96. | Nonlinear behavior of a plate with an arbitrarily orientated crack. <i>R. Ismail, M.P. Cartmell, N.S.R. Apandi</i> | 196 |

| | | |
|------|---|-----|
| 97. | Practical controller for positioning control of X-Y ballscrew mechanism. <i>W.K. Hee, S.H. Chong, J.E. Foo, A. Che Amran</i> | 198 |
| 98. | Radiation efficiency of single beam-stiffened plate. <i>K.H. Lim, A. Putra, R. Ramlan</i> | 200 |
| 99. | Natural coir fiber and kenaf fiber as multilayer sound absorber. <i>Z.Y. Lim, A. Putra, M.J.M. Nor, M.Y. Yaakob</i> | 202 |
| 100. | Positioning control of ball screw mechanism with disturbance observer. <i>J.E. Foo, S.H. Chong, W.K. Hee, S.L. Loh</i> | 204 |
| 101. | PID control of vertical pneumatic artificial muscle system. <i>M.H. Tan, S.H. Chong, T.F. Tang, A.Z. Shukor</i> | 206 |
| 102. | Identification of noise in room due to HVAC system. <i>Y.M. Cheah, A. Putra, R. Ramlan, N. Muhammad</i> | 208 |
| 103. | Dynamic analysis of laminated rubber-metal spring using finite element method. <i>S. Norfarizan, A. Putra, M.A. Salim, R. Ramlan</i> | 210 |
| 104. | Experimental investigation of surface roughness using ultrasonic assisted machining of hardened steel. <i>R. Azlan, R. Izamshah, M. Hadzley, M.S. Kasim, M. Arfauz, M. Akmal</i> | 212 |
| 105. | Mathematical modeling on sound absorption of oil palm empty fruit bunch fibers. <i>K.H. Or, A. Putra, M.Z. Selamat</i> | 214 |